TP-Link TL-WR841N wireless router Fast Ethernet Single-band (2.4 GHz) White



Brand : TP-Link

Product code: TL-WR841N

Product name : TL-WR841N

TP-Link TL-WR841N. WAN connection type: RJ-45. Wi-Fi band: Single-band (2.4 GHz), Top Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN data transfer rate (max): 300 Mbit/s. Ethernet LAN interface type: Fast Ethernet, Ethernet LAN data rates: 10,100 Mbit/s, Cabling technology: 10/100Base-T(X). Security algorithms: WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, Firewall security: SPI. Supported network protocols: IPv4, IPv6

WAN connection	
Ethernet WAN *	✔
DSL WAN *	✘
SIM card slot *	✘
3G/4G USB modem compatibility *	✘
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band *	Single-band (2.4 GHz)
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)
WLAN data transfer rate (max) *	300 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Network	
Ethernet LAN *	✔
Ethernet LAN interface type *	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Cabling technology	10/100Base-T(X)
Port forwarding	✔
Port triggering	✔
Dynamic DNS (DDNS)	✔
Number of guest networks (2.4 GHz)	1
Ports & interfaces	
Ethernet LAN (RJ-45) ports *	4
USB port *	✘
Management features	
Quality of Service (QoS) support	✔
Reset button	✔
Security	
Security algorithms	WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise

Protocols	
DHCP client	✔
DHCP server	✔
Universal Plug and Play (UPnP)	✔
Supported network protocols	IPv4, IPv6
Design	
Product colour	White
Product type *	Tabletop router
Certificates	
Compliance certificates	Federal Communications Commission (FCC)
Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	✔
Quick installation guide	✔
Sustainability	
Sustainability compliance	✔
Antenna	
Antenna design *	External
Antennas quantity	2
Transmit power	30 dBmW
Features	
Built-in processor	✔
Processor cores	1
Power	
Power source type *	DC
Output voltage	9 V
Output current	0.6 A

Security	
Firewall	✔
Firewall security	SPI
Filtering	✔
URL filtering	✔
DMZ support	✔

Weight & dimensions	
Width	173 mm
Depth	118 mm
Height	33 mm

Packaging data	
Package width	288 mm
Package depth	202 mm
Package height	86 mm
Package weight	620 g

6935364051242

1210002620659

1210002612692

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date